

PATENT COOPERATION TREATY

JC20 Rec'd PCT/PTO 01 AUG 2001

PCT

NOTIFICATION TO THE DESIGNATED OFFICE
OF RECEIPT OF RECORD COPY

(PCT Administrative Instructions, Section 426)

From the INTERNATIONAL BUREAU

To:

Commissioner
US Department of Commerce
United States Patent and Trademark
Office, PCT
2011 South Clark Place Room
CP2/5C24
Arlington, VA 22202
ETATS-UNIS D'AMERIQUE

in its capacity as designated Office

Date of mailing (day/month/year)

18 July 2001 (18.07.01)

Applicant's or agent's file reference

IR 3569NP-PC

The designated Office is hereby notified that the International Bureau has received the record copy of the international application identified below:

Applicant(s):

International application No. : PCT/US00/31040
International filing date : 10 November 2000 (10.11.00)
Priority date(s) claimed : 12 November 1999 (12.11.99)
Date of receipt of the record copy
by the International Bureau : 15 December 2000 (15.12.00)

The International Bureau of WIPO
34, chemin des Colombettes
1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer

Anman QIU



Telephone No.: (41-22) 338.83.38

This sheet is not part of and does not count as a sheet of the international application.

PCT

FEE CALCULATION SHEET
Annex to the Request

For receiving Office use only

PCT/US 00/31040

International application No.

Applicant's or agent's
file reference

IR 3569NP-PCT

Date stamp of the receiving Office

Applicant

ATOFINA Chemicals, Inc., et al.

CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE 240 T
2. SEARCH FEE 700 S

International search to be carried out by US
(If two or more International Searching Authorities are competent in relation to the international application, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FEE

Basic Fee

The international application contains 26 sheets.

first 30 sheets 427 b1

0 x 0 b2

remaining sheets additional amount

Add amounts entered at b1 and b2 and enter total at B 427 B

Designation Fees

The international application contains 5 designations.

5 x 92 = 460 D

number of designation fees payable (maximum 8) amount of designation fee

Add amounts entered at B and D and enter total at I 887 I

(Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.)

4. FEE FOR PRIORITY DOCUMENT (if applicable) 15 P

5. TOTAL FEES PAYABLE 1842

Add amounts entered at T, S, I and P, and enter total in the TOTAL box

TOTAL

MODE OF PAYMENT

- ☒ authorization to charge deposit account (see below) ☐ bank draft ☐ coupons
☐ check ☐ other (specify):
☐ pos

DEPOSIT ACCOUNT AUTHORIZATION (this mode of payment may not be available at all receiving Offices)

The R.O/ US ☒ is hereby authorized to charge the total fees indicated above to my deposit account.

☒ (this check-box may be marked only if the conditions for deposit accounts of the receiving Office so permit) is hereby authorized to charge any deficiency or credit any overpayment in the total fees indicated above to my deposit account.

☐ is hereby authorized to charge the fee for preparation and transmission of the priority document to the International Bureau of WIPO to my deposit account.

01-2717

10 November 2000

Deposit Account No.

Date (d. month/year)

Royal E. Light

HOME COPY

PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

PCT/US 00/31040	
International Application No.	
10 NOV 2000 (10.11.00)	
International Filing Date	
PCT INTERNATIONAL APPLICATION RO/US	
Name of the Inventing Office and of the International Application	
Applicant's or agent's file reference (if desired) (12 characters maximum) IR 3569NP-P	

Box No. I	TITLE OF INVENTION FLUOROPOLYMERS CONTAINING ORGANO-SILANES AND METHODS OF MAKING THE SAME	
Box No. II	APPLICANT	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)		<input type="checkbox"/> This person is also inventor.
ATOFINA Chemicals, Inc. 2000 Market Street Philadelphia, Pennsylvania 19103-3222 United States of America		Telephone No. (215) 419-7791
		Facsimile No. (215) 419-7075
		Teleprinter No.
State (that is, country) of nationality: US		State (that is, country) of residence: US
This person is applicant for the purposes of: <input checked="" type="checkbox"/> all designated States <input checked="" type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box		
Box No. III	FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)		This person is:
AMIN-SANAYEI, Ramin 931 Penn Circle, B-203 King of Prussia, Pennsylvania 19406 United States of America		<input type="checkbox"/> applicant only <input checked="" type="checkbox"/> applicant and inventor <input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)
State (that is, country) of nationality: [US]		State (that is, country) of residence: [US]
<input checked="" type="checkbox"/> Further applicants and/or (further) inventors		
Box No. IV	AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE	
If the person is the applicant, how is he/she the common representative? If not, how is he/she been appointed to the International Application? If common representative, No.		
MARCUS, Stanley A.; BRIGHT, Royal E. ATOFINA Chemicals, Inc. 2000 Market Street Philadelphia, Pennsylvania 19103-3222 United States of America		
Facsimile No. (215) 419-7075		
Teleprinter No.		
<input type="checkbox"/> Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.		

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p> <p style="margin-left: 40px;">GRANEL, Claude Christophe 3505 Race Street Philadelphia, Pennsylvania 19104 United States of America</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input checked="" type="checkbox"/> applicant and inventor</p> <p><input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
State (that is, country) of nationality: <input checked="" type="checkbox"/> FR	State (that is, country) of residence: <input checked="" type="checkbox"/> US
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input checked="" type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
State (that is, country) of nationality:	State (that is, country) of residence:
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
State (that is, country) of nationality:	State (that is, country) of residence:
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
State (that is, country) of nationality:	State (that is, country) of residence:
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.</p>	

Box No. 1 DESIGNATION OF STATES

The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes: at least one must be marked)

Regional Patent

- ☐ AP **ARIPO Patent:** GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT
- ☐ EA **Eurasian Patent:** AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☒ EP **European Patent:** AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☐ OA **OAPI Patent:** BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | |
|---|---|
| <input type="checkbox"/> AE United Arab Emirates | <input type="checkbox"/> LC Saint Lucia |
| <input type="checkbox"/> AG Antigua and Barbuda | <input type="checkbox"/> LK Sri Lanka |
| <input type="checkbox"/> AL Albania | <input type="checkbox"/> LR Liberia |
| <input type="checkbox"/> AM Armenia | <input type="checkbox"/> LS Lesotho |
| <input type="checkbox"/> AT Austria | <input type="checkbox"/> LT Lithuania |
| <input type="checkbox"/> AU Australia | <input type="checkbox"/> LU Luxembourg |
| <input type="checkbox"/> AZ Azerbaijan | <input type="checkbox"/> LV Latvia |
| <input type="checkbox"/> BA Bosnia and Herzegovina | <input type="checkbox"/> MA Morocco |
| <input type="checkbox"/> BB Barbados | <input type="checkbox"/> MD Republic of Moldova |
| <input type="checkbox"/> BG Bulgaria | <input type="checkbox"/> MG Madagascar |
| <input type="checkbox"/> BR Brazil | <input type="checkbox"/> MK The former Yugoslav Republic of Macedonia |
| <input type="checkbox"/> BY Belarus | <input type="checkbox"/> MN Mongolia |
| <input type="checkbox"/> BZ Belize | <input type="checkbox"/> MW Malawi |
| <input type="checkbox"/> CA Canada | <input checked="" type="checkbox"/> MX Mexico |
| <input type="checkbox"/> CH and LI Switzerland and Liechtenstein | <input type="checkbox"/> MZ Mozambique |
| <input checked="" type="checkbox"/> CN China | <input type="checkbox"/> NO Norway |
| <input type="checkbox"/> CR Costa Rica | <input type="checkbox"/> NZ New Zealand |
| <input type="checkbox"/> CU Cuba | <input type="checkbox"/> PL Poland |
| <input type="checkbox"/> CZ Czech Republic | <input type="checkbox"/> PT Portugal |
| <input type="checkbox"/> DE Germany | <input type="checkbox"/> RO Romania |
| <input type="checkbox"/> DK Denmark | <input checked="" type="checkbox"/> RU Russian Federation |
| <input type="checkbox"/> DM Dominica | <input type="checkbox"/> SD Sudan |
| <input type="checkbox"/> DZ Algeria | <input type="checkbox"/> SE Sweden |
| <input type="checkbox"/> EE Estonia | <input type="checkbox"/> SG Singapore |
| <input type="checkbox"/> ES Spain | <input type="checkbox"/> SI Slovenia |
| <input type="checkbox"/> FI Finland | <input type="checkbox"/> SK Slovakia |
| <input type="checkbox"/> GB United Kingdom | <input type="checkbox"/> SL Sierra Leone |
| <input type="checkbox"/> GD Grenada | <input type="checkbox"/> TJ Tajikistan |
| <input type="checkbox"/> GE Georgia | <input type="checkbox"/> TM Turkmenistan |
| <input type="checkbox"/> GR Greece | <input type="checkbox"/> TR Turkey |
| <input type="checkbox"/> GT Guatemala | <input type="checkbox"/> TT Trinidad and Tobago |
| <input type="checkbox"/> HR Croatia | <input type="checkbox"/> TZ United Republic of Tanzania |
| <input type="checkbox"/> HU Hungary | <input type="checkbox"/> UA Ukraine |
| <input type="checkbox"/> ID Indonesia | <input type="checkbox"/> UG Uganda |
| <input type="checkbox"/> IL Israel | <input checked="" type="checkbox"/> US United States of America |
| <input type="checkbox"/> IN India | <input type="checkbox"/> UZ Uzbekistan |
| <input type="checkbox"/> IS Iceland | <input type="checkbox"/> VN Viet Nam |
| <input type="checkbox"/> JP Japan | <input type="checkbox"/> YU Yugoslavia |
| <input type="checkbox"/> KE Kenya | <input type="checkbox"/> ZW Zimbabwe |
| <input type="checkbox"/> KG Kyrgyzstan | |
| <input type="checkbox"/> KP Democratic People's Republic of Korea | |
| <input type="checkbox"/> KR Republic of Korea | |
| <input type="checkbox"/> KZ Kazakhstan | |

Check-box reserved for designating States which have become party to the PCT after issuance of this sheet:

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Supplemental Box *If the Supplemental Box is not used, this sheet should not be included in the request.*

1. If, in any of the Boxes, the space is insufficient to furnish all the information: in such case, write "Continuation of Box No. ..." [indicate the number of the Box] and furnish the information in the same manner as required according to the captions of the Box in which the space was insufficient, in particular:

- (i) if more than two persons are involved as applicants and/or inventors and no "continuation sheet" is available: in such case, write "Continuation of Box No. III" and indicate for each additional person the same type of information as required in Box No. III. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below;
- (ii) if, in Box No. II or in any of the sub-boxes of Box No. III, the indication "the States indicated in the Supplemental Box" is checked: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be); indicate the name of the applicant(s) involved and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is applicant;
- (iii) if, in Box No. II or in any of the sub-boxes of Box No. III, the inventor or the inventor/applicant is not inventor for the purposes of all designated States or for the purposes of the United States of America: in such case, write "Continuation of Box No. II" or "Continuation of Box No. III" or "Continuation of Boxes No. II and No. III" (as the case may be); indicate the name of the inventor(s) and, next to (each) such name, the State(s) (and/or, where applicable, ARIPO, Eurasian, European or OAPI patent) for the purposes of which the named person is inventor;
- (iv) if, in addition to the agent(s) indicated in Box No. IV, there are further agents: in such case, write "Continuation of Box No. IV" and indicate for each further agent the same type of information as required in Box No. IV;
- (v) if, in Box No. V, the name of any State (or OAPI) is accompanied by the indication "patent of addition," or "certificate of addition," or if, in Box No. V, the name of the United States of America is accompanied by an indication "continuation" or "continuation-in-part": in such case, write "Continuation of Box No. V" and the name of each State involved (or OAPI), and after the name of each such State (or OAPI), the number of the parent title or parent application and the date of grant of the parent title or filing of the parent application;
- (vi) if, in Box No. VI, there are more than three earlier applications whose priority is claimed: in such case, write "Continuation of Box No. VI" and indicate for each additional earlier application the same type of information as required in Box No. VI;
- (vii) if, in Box No. VI, the earlier application is an ARIPO application: in such case, write "Continuation of Box No. VI", specify the number of the item corresponding to that earlier application and indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed.

2. If, with regard to the precautionary designation statement contained in Box No. V, the applicant wishes to exclude any State(s) from the scope of that statement: in such case, write "Designation(s) excluded from precautionary designation statement" and indicate the name or two-letter code of each State so excluded.

3. If the applicant claims, in respect of any designated Office, the benefits of provisions of the national law concerning non-prejudicial disclosures or exceptions to lack of novelty: in such case, write "Statement concerning non-prejudicial disclosures or exceptions to lack of novelty" and furnish that statement below.

Continuation of Box No. IV:

MITCHELL, William D.; RUDMAN, Gilbert W.; DEBENEDICTIS, Nicholas J.
all of ATOFINA Chemicals, Inc.
2000 Market Street
Philadelphia, Pennsylvania 19103-3222
United States of America



KILYK, Luke A.

KILYK & BOWERSOX, P.L.L.C.

3603-E Chain Bridge Road

Fairfax, Virginia 22030

USA

Box No. VI PRIORITY CLAIM		<input type="checkbox"/> Further priority claims are indicated in the Supplemental Box.		
Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country	regional application: regional Office	international application: receiving Office
item (1) 12 November 1999 (12.11.99)	60/165,123	US	US	
item (2)				
item (3)				
<input checked="" type="checkbox"/> The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of the present international application is the receiving Office) identified above as item(s): (1)				
* Where the earlier application is an ARIPO application, it is mandatory to indicate in the Supplemental Box at least one country party to the Paris Convention for the Protection of Industrial Property for which that earlier application was filed (Rule 4.10(b)(ii)). See Supplemental Box.				
Box No. VII INTERNATIONAL SEARCHING AUTHORITY				
Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):		Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):		
ISA / US		Date (day/month/year)	Number	Country (or regional Office)
Box No. VIII CHECK LIST; LANGUAGE OF FILING				
This international application contains the following number of sheets:		This international application is accompanied by the item(s) marked below:		
request : 05		1. <input checked="" type="checkbox"/> fee calculation sheet		
description (excluding sequence listing part) : 17		2. <input type="checkbox"/> separate signed power of attorney		
claims : 03		3. <input type="checkbox"/> copy of general power of attorney; reference number, if any:		
abstract : 01		4. <input type="checkbox"/> statement explaining lack of signature		
drawings :		5. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s):		
sequence listing part of description :		6. <input type="checkbox"/> translation of international application into (language):		
Total number of sheets : 26		7. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material		
		8. <input type="checkbox"/> nucleotide and/or amino acid sequence listing in computer readable form		
		9. <input type="checkbox"/> other (specify):		
Figure of the drawings which should accompany the abstract:		Language of filing of the international application: English		
Box No. IX SIGNATURE OF APPLICANT OR AGENT				
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).				
 Mary G. Ray Agent for App.		 Paul E. Bright Agent for App.		
ATOFINA Chemicals, Inc.				
(10.11.00)				
For International Bureau use only				
Date of receipt of the record copy by the International Bureau:				
3. Corrected date of actual receipt due to late but timely received papers or drawings completing the purported international application:		<input type="checkbox"/> received		
4. Date of deposit of the purported corrections under PCT Article 17:		<input type="checkbox"/> not received		
5. International Searching Authority (if two or more are competent): ISA / US		6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid		

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 May 2001 (17.05.2001)

PCT

(10) International Publication Number
WO 01/34670 A1

(51) International Patent Classification⁷: C08F 214/18,
C08G 77/24, C08L 27/12

(74) Agents: MARCUS, Stanley, A.; Atofina Chemicals, Inc.,
2000 Market Street, Philadelphia, PA 19103-3222 et al.
(US).

(21) International Application Number: PCT/US00/31040

(81) Designated States (*national*): CN, JP, MX, RU, US.

(22) International Filing Date:
10 November 2000 (10.11.2000)

(84) Designated States (*regional*): European patent (AT, BE,
CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC,
NL, PT, SE, TR).

(25) Filing Language: English

(26) Publication Language: English

Published:
— with international search report

(30) Priority Data:
60/165,123 12 November 1999 (12.11.1999) US

(48) Date of publication of this corrected version:
27 September 2001

(71) Applicant (*for all designated States except US*): ATO-
FINA CHEMICALS, INC. [US/US]; 2000 Market Street,
Philadelphia, PA 19103-3222 (US).

(15) Information about Correction:
see PCT Gazette No. 39/2001 of 27 September 2001, Sec-
tion II

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): AMIN-SANAYEI,
Ramin [CA/US]; 931 Penn Circle, B-203, King of Prussia,
PA 19406 (US). GRANEL, Claude, Christophe [FR/US];
3505 Race Street, Philadelphia, PA 19104 (US).

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: FLUOROPOLYMERS CONTAINING ORGANO-SILANES AND METHODS OF MAKING THE SAME

(57) Abstract: A fluoropolymer is described which is a polymer reaction product of a fluoropolymer comprising a polymer reaction product of: a) at least one first alkylene co-monomer containing at least one fluorine atom; b) optionally at least one monomer selected from: 1) at least one second alkylene containing at least one fluorine atom; 2) at least one alkyl alkenyl ether containing at least one fluorine atom; 3) at least one aliphatic or cyclic ketone containing at least one fluorinated alpha-alpha position; or 4) non-fluorinated alkene, alkyl alkenyl ether, or alkenyl ester; and c) at least one sterically hindered alkenyl or alkenyl ether organo silane co-monomer with or without at least one fluorine substituent. The fluoropolymer can be subsequently cross-linked or further reacted. Methods of making the fluoropolymer are further disclosed as well as applications of the fluoropolymers.

WO 01/34670 A1

FLUOROPOLYMERS CONTAINING ORGANO-SILANES AND METHODS OF MAKING THE SAME

BACKGROUND OF THE INVENTION

5 The present invention relates to fluoropolymers and uses for these fluoropolymers. In particular, the present invention relates to fluoropolymers containing organo-silane functional groups. The present invention further relates to methods of making the fluoropolymers.

10 Various attempts have been made to make fluorine-containing polymers for a variety of reasons. Fluoropolymers are traditionally used for applications which require special properties such as low surface energy, high resistance to chemical attack, low dielectric loss, or extreme requirements on aging resistance. However, sometimes these unusual properties are problems themselves in the use of fluoropolymers. For example, the lack of functional groups to promote: adhesion to substrates, to facilitate cross-linking, to provide sites for
15 subsequent chemical modification, to introduce ion-exchange capacity or ionic conductivity severely limits the application of ordinary fluoropolymers. Thus, fluorinated polymers with modified properties, such as reactive functional groups which can be modified, are constantly being sought. However, to the knowledge of the present inventors, fluorine-containing polymers having an intact organo-silane moiety which can be reactive has yet to
20 be made in aqueous media.

 For example, Buning et al. [Chemical Abstract Number 72:101262 and Die Ang. Mak. Chemie 13 (1970) pp. 89-96] describes, based on the English abstract, the copolymerization of vinyl (tri-tert-butoxy) silane in emulsion or suspension with vinyl chloride or styrene in the presence of dilauroyl peroxide or Bz_2O_2 to result in uncross-linked
25 copolymers. The abstract further reports that when vinyl (trimethoxy)-silane was used instead of vinyl (tri-tert-butoxy) silane, an insoluble, crosslinked copolymer was obtained containing poly(vinyl chloride). There is no mention in the English abstract of fluorine containing polymers nor is there any appreciation of the use of pH controllers during suspension polymerization.

30 Piotrowski et al. [Chemical Abstract Number 102:167808] relates to $\text{CH}_2\text{:CF}_2$ polymers which are grafted with alkenylalkoxy silanes in the presence of a peroxide to result

-2-

in resins cross-linkable by silanol condensation catalysts and moisture. There is no mention of an aqueous medium being used in the reaction and specific hydrolizable organo-silane moieties which are not hindered, are grafted to the molten poly(vinylidene fluoride) in the presence of a peroxide initiator.

5 European Patent Application No. 0 736 583 primarily relates to aqueous dispersions of a fluorine-containing polymer which are formed by post-mixing organo-silicon compounds in the fluorine-containing polymer-dispersed aqueous composition. A co-polymerization involving an organosilane is discussed, but used as an intermediate product. Thus, according to this publication, the organo-silicon compounds are mixed with the
10 fluoropolymer dispersion after the polymerization to form the fluoropolymer dispersion.

In addition, U.S. Patent No. 5,621,038 to Chen et al. relates to curable compositions containing a water dispersible curable polymer containing a sterically hindered alkoxyated silane group, a water dispersible or water soluble, hydrolytically stable organometallic catalyst, and water. Chen et al. states that these compositions are useful as adhesives,
15 sealants, and paints. Chen et al. further reports that the compositions have improved properties including solvent resistance, adhesion, hardness, abrasion resistance, and mar resistance. Chen et al. does not mention the use of fluoropolymers and requires the presence of a hydrolytically stable organometallic catalyst. U.S. Patent No. 5,686,523 to Chen et al is similar but does not require a hydrolytically stable organometallic catalyst.

20 Previous fluoropolymers, while having beneficial properties with respect to chemical resistance, high temperature stability, high tensile strength, and/or low refractive index, have the disadvantage that subsequent modifications such as post cross-linking or post chemical modification were not feasible due to the possible compromising of these beneficial properties. Accordingly, there is a need to provide fluoropolymers which can be
25 advantageously cross-linked and/or chemically modified without substantially affecting the beneficial properties typically associated with fluoropolymers.

SUMMARY OF THE INVENTION

A feature of the present invention is to provide fluoropolymers which are cross-
30 linkable and/or can be chemically modified without substantially affecting the beneficial properties typically associated with fluoropolymers such as chemical resistance, high temperature stability, high tensile strength, and/or low refractive indices.

Another feature of the present invention is to provide fluoropolymers which are capable of being chemically bonded to a variety of substrates.

Another feature of the present invention is to provide fluoropolymers which can be functionalized.

5 Another feature of the present invention is to provide methods of making these types of fluoropolymers.

Additional features and advantages of the present invention will be set forth in part in the description which follows, and in part will be apparent from the description, or may be learned by practice of the present invention. The features and other advantages of the
10 present invention will be realized and obtained by the description set forth herein including the elements in combinations particularly pointed out in the written description and pending claims.

To achieve these and other advantages and in accordance with the purposes of the present invention, as embodied and broadly described herein, the present invention relates to
15 a fluoropolymer comprising a polymer reaction product of a) at least one first alkylene co-monomer containing at least one fluorine atom; b) optionally at least one monomer selected from 1) at least one second alkylene containing at least one fluorine atom; 2) at least one alkyl alkenyl ether containing at least one fluorine atom; 3) at least one aliphatic or cyclic ketone containing at least one fluorinated alpha-alpha position; or 4) non-fluorinated alkene,
20 alkyl alkenyl ether, or alkenyl ester; and c) at least one sterically hindered alkenyl or alkenyl ether organo-silane co-monomer with or without at least one fluorine substituent.

The present invention further relates to the fluoropolymer described above which can be cross-linked and/or can contain one or more functional groups.

The present invention also relates to a process for the production of the polymers
25 described above by free radical polymerization techniques known in the art, such as suspension polymerization, emulsion polymerization, interfacial polymerization, solution polymerization, or non-aqueous polymerization systems, wherein one or more of liquid or super-critical carbon dioxide, liquid or super-critical SF₆, liquid or super-critical fluorinated or perfluorinated hydrocarbon(s) with 1 to about 6 carbons can be used as polymerization
30 media.

The present invention further relates to a method of making the above-described fluoropolymers and involves conducting a polymerization of the co-monomers described

-4-

above for a sufficient time and at a sufficient pressure and temperature to form the fluoropolymer. Preferably, the polymerization is a free radical polymerization, and more preferably is an emulsion polymerization.

In addition, the present invention relates to the use of the fluoropolymers in a variety of applications, including, but not limited to, foamed cross-linked fluoropolymers, fluoro-elastomers, adhesives, coatings and the like. The fluoropolymers of the present invention can also be used as a membrane component as well as other applications.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and explanatory only and are intended to provide a further explanation of the present invention as claimed.

DETAILED DESCRIPTION OF THE PRESENT INVENTION

The present invention relates to fluoropolymers containing one or more organo-silane functionalities or functional groups. Preferably, the organo-silane functionality or moiety is at least one sterically hindered group. The sterically hindered group on the organo-silane moiety preferably prevents premature hydrolysis/condensation of the co-polymerized silane groups. With at least one organo-silane moiety remaining intact upon completion of polymerization, and thus being present in the fluoropolymer, additional properties not previously attainable can be accomplished with the fluoropolymers of the present invention. In addition, the intact organo-silane moiety can be reactive and thus can be chemically modified when desired to provide properties that can be tailored to specific applications without losing the outstanding properties generally associated with fluoropolymers.

The fluoropolymer preferably is a polymer reaction product of: a) at least one first alkylene co-monomer containing at least one fluorine atom; b) optionally at least one co-monomer selected from 1) at least one second alkylene containing at least one fluorine atom which is different from the first alkylene co-monomer if present; 2) at least one alkyl alkenyl ether containing at least one fluorine atom; 3) at least one aliphatic or cyclic ketone containing at least one fluorinated alpha-alpha position; or 4) non-fluorinated alkene, alkyl alkenyl ether, or alkenyl ester; and c) at least one sterically hindered alkenyl or alkenyl ether organo-silane co-monomer with or without at least one fluorine substituent.

With reference to the above-described fluoropolymer, the alkylene co-monomer containing at least one fluorine atom can be present in any amount depending on the desired

properties of the fluoropolymer. Preferably, at least one alkylene co-monomer is present in an amount of from about 50 mol% to about 99.9 mol%, and more preferably from about 80 mol% to about 99.9 mol%, and most preferably from about 90 mol% to about 95.5 mol%. Preferably, the alkylene co-monomer is an ethylene co-monomer and further preferably contains from about 1 to about 4 fluorine atoms. Those bonds of the two carbon atoms which are not occupied by fluorine preferably bear hydrogen or chlorine or both. Examples of fluorinated ethylenes include, but are not limited to, vinylidene fluoride (VF_2), tetrafluoroethylene (TFE), trifluoroethylene, chlorotrifluoroethylene (CTFE) and vinyl fluoride. These fluorinated ethylenes may be used both individually and in combination with one another. These co-monomers are commercially available from such sources as ATOFINA Chemicals and DuPont. Most preferably, the ethylene co-monomer containing at least one fluorine atom is VF_2 , CTFE, and TFE. Mol.% as used herein refers to the percentage of the total monomers present.

With respect to the second co-monomer which is optionally present, this co-monomer, when present, can be present in any amount and is preferably present in an amount of from about 0.1 mol% to about 50 mol%, and more preferably from about 0.1 mol% to about 40 mol%, and most preferably from about 0.1 mol% to about 30 mol%. Preferably, the second co-monomer is propenes containing from about 1 to about 6 fluorine atoms; alkyl vinyl ethers containing at least one fluorine atom; aliphatic or cyclic $\text{C}_3\text{-C}_6$ ketones containing fluorinated alpha-alpha positions; or non-fluorinated $\text{C}_2\text{-C}_4$ alkenes, alkyl vinyl ethers, or vinyl esters.

Examples of the alkylene containing at least one fluorine atom include, but are not limited to, hexafluoropropylene (HFP), perfluoroisobutylene, and the like. Examples of the alkyl alkenyl ether containing at least one fluorine atom include, but are not limited to, perfluorovinylmethylether (PVME). Additional examples include, linear or branched C_{3-8} alkenes containing at least one fluorine atom, hexafluoropropene, 2-hydropentafluoropropene, 3,3,3-trifluoropropene, mono- or polyfluorinated butanes, such as hexafluoroisobutylene, pentanes, hexenes, or octanes. In addition to at least one fluorine atom, these co-monomers may also contain chlorine atoms. These types of co-monomers are preferably C_{3-6} alkenes containing at least one fluorine atom and, more preferably C_{3-4} alkenes containing at least one fluorine atom.


Other examples of the optional co-monomers include alkyl vinyl ethers containing at least one fluorine atom, for example, perfluoropropyl perfluorovinyl ether, perfluoromethyl perfluorovinyl ether, perfluoropropyl vinyl ether, n-butyl perfluorovinyl ether, and the like. Further examples of the optional co-monomers include open-chain and cyclic C₃₋₆ ketones containing fluorinated alpha-alpha'-positions which are co-polymerized through the C=O bond, such as hexafluoroacetone, perfluorocyclopentanone, and the like. Additional co-monomers include non-fluorinated C₂₋₄ alkenes, such as ethylene, propene, 1-butene, isobutylene, C₃₋₆ alkyl vinyl ethers, such as methyl vinyl ether, ethyl vinyl ether and the like, and C₄₋₆ vinyl esters, such as vinyl acetate, vinyl propionate, and others.

With respect to co-monomer c), the alkenyl or alkenyl ether organo-silane co-monomer with or without at least one fluorine substituent is sterically hindered. As described above, the sterically hindered organo-silane co-monomer prevents or substantially prevents premature hydrolysis/condensation of the co-polymerized groups which form the fluoropolymer. In other words, the sterically hindered groups on the fluoropolymer of the present invention are such that their spatial arrangement prevents or retards a reaction with another molecule. Preferably, the sterically hindered organo-silane co-monomer can be present in any amount for purposes of the present invention. Preferably, the sterically hindered organo-silane co-monomer is present in an amount of from 0.1 mol% to about 50 mol%, more preferably from about 0.1 mol% to about 20 mol%, and most preferably from about 0.1 mol% to about 10 mol%.

Preferably, the sterically hindered organo-silane co-monomer has the formula:



wherein n is an integer of from 0 to 2, or has the formula:



wherein m is an integer of from about 2 to about 10, k is 0 or 1; and R¹ represents at least one C₃ or higher branched alkyl, cycloalkyl, or heterocyclic group with or without at least one fluorine substituent; R² represents at least one alkenyl or allyl containing group; R³

-7-

represents at least one n- alkyl, at least one C₃ or higher branched alkyl, at least one C₃ or higher cycloalkyl, or heterocyclic (e.g., aromatic) group.

Preferably, R¹ represents at least one C₃-C₆ branched alkyl or cycloalkyl group; R² represents at least one vinyl, allyl, or vinyl ether containing group with or without at least one fluorine substituent; and/or R³ represents at least one C₁-C₆ n-alkyl, C₃-C₆ branched alkyl, C₃-C₆ cycloalkyl, or C₆-C₉ aryl.

With respect to the above formulas I and II, n is preferably 0, m is preferably an integer of 2 to 5. Examples of the branched alkyl or cycloalkyl group include, but are not limited to, cyclopentyl, cyclohexyl, cycloheptyl, cyclooctyl, bicycloheptyl, iso-octyl, 3-methyl pentyl, iso-amyl, amyl, pentyl, iso-pentyl, 2,5-dimethylhexyl, 4-methyl-2-pentyl, isopropyl, sec-butyl, iso-butyl, t-butyl, iso-pentyl, and sec-pentyl, and the like. Examples of the n-alkyl, the branched alkyl, and the heterocyclic groups include, but are not limited to, n-butyl, n-pentyl, n-hexyl, n-heptyl, n-octyl, n-nonyl, n-decyl, and the like. Substituents to the R³ group may include a replacement for a carbon atom with atoms such as oxygen, nitrogen, or sulfur, with the proviso that the carbon atom adjacent to the silicon is not replaced. Other substituents include replacement of the hydrogen atom attached to carbon with halogen atoms, nitrogen, sulfur, oxygen, and organofunctional groups, such as cyano, urea, esters, amides, oxo, and the like.

The alkenyl organo-silane co-monomers used in the present invention can further contain at least one functional group. With reference to formulas I and II, this functional group or groups are preferably present as part of the R³ group. The functional group can be any group which still permits the formation of the fluoropolymer of the present invention and preferably provides the desired properties of the fluoropolymers or provides reactive sites for the fluoropolymer for subsequent modification or cross-linking. Examples of functional groups include, but are not limited to, halogens, hydroxyl, nitrogen, amino, epoxy, carboxylic salts, esters, sulfur, oxygen, cyanos, ureas, amides, oxo, and the like.

As stated earlier, the fluoropolymer can be uncross-linked or cross-linked. In addition, the fluoropolymer of the present invention can further contain at least one metal oxide, silane, siloxane, or combinations thereof. Preferably, the metal oxide, silane, or siloxane are reacted with a silane present in the fluoropolymer. Any material containing a silanol functional group may be reacted with the fluoropolymer of the present invention.

The fluoropolymers of the present invention are preferably a reaction product of a radical polymerization product such as an emulsion polymerization product.

One advantage of the present invention is that no hydrolytically stable organo metallic catalyst is necessary for purposes of conducting the polymerization to form the
5 fluoropolymers of the present invention.

The sterically hindered organo silane monomers used in the formation of the fluoropolymers of the present invention are preferably directly co-polymerized into the polymer chain of the fluoropolymers of the present invention.

With respect to the preparation of the fluoropolymer, generally, the fluoropolymer is
10 prepared by conducting a polymerization of the co-monomers present for a sufficient time and at a sufficient pressure and temperature to form the fluoropolymer. As stated earlier, this polymerization is preferably a free radical polymerization, and more preferably an emulsion polymerization which preferably occurs in an aqueous medium.

With respect to the preferred method of making the fluoropolymers of the present
15 invention, initially, deionized water, di-sodium phosphate, and at least one fluorinated surfactant are introduced into a reactor and then deoxygenated. Then, an initiator emulsion and a vinyl silane solution or emulsion can be introduced with or without solvent to start a reaction in the reactor. Preferably, the reaction media is an aqueous-based media. Once the reaction has started or simultaneously with the beginning of the reaction, the co-monomers
20 can be continuously fed into the reactor, optionally along with buffering agent(s). After reaching the desired solid level of the polymer formation, the feed of the monomers can be stopped but the charge of the initiator is preferably maintained to consume any leftover monomers present. The initiator charge can then be stopped preferably when the reactor pressure drops below about 300 psi and once the reactor is cooled. The unreacted monomers
25 can be vented and the fluoropolymer collected through a drain port or other collection means. The polymer can then be isolated using standard isolation techniques such as, but not limited to, salts/acid coagulation, freeze-thaw, shear coagulation, or spray drying.

In more detail, with respect to the reactor temperature, any reactor temperature can be used as long as the temperature is sufficient to permit the polymerization and formation
30 of the fluoropolymer of the present invention. Examples of suitable temperatures include, but are not limited to, from about 30 to about 120°C and more preferably from about 60 to about 100°C.

With respect to the pressure used during polymerization, again, any pressure can be used as long as the pressure is sufficient to permit the polymerization and formation of the fluoropolymers of the present invention. Preferably, this pressure is from about 40 to about 50 atm. While it is preferred that the co-monomers are continuously fed into the reactor, the co-monomers can be introduced as a mixture or through separate feed lines or sequentially in any order.

The reactor is preferably a pressurized polymerization reactor equipped with a stirrer and heat control means. The temperature of the polymerization can vary depending on the characteristics of the initiator used, but it is typically from about 30°C to about 120°C, and most conveniently it is from about 60°C to about 105°C. The temperature is not limited to this range, however, and might be higher or lower if a high-temperature or low-temperature initiator is used. The VDF/HFP ratios used in the polymerization can be dependent on the temperature chosen for reaction. The pressure of the polymerization is typically from about 20 to about 80 bar, but it can be higher if the equipment permits operation at higher pressure. The pressure is most conveniently from about 30 to about 60 bar.

Surfactants which can be used in the polymerization are water-soluble, halogenated surfactants, especially fluorinated surfactants such as the ammonium, substituted ammonium, quaternary ammonium, or alkali metal salts of perfluorinated or partially fluorinated alkyl carboxylates, the perfluorinated or partially fluorinated monoalkyl phosphate esters, the perfluorinated or partially fluorinated alkyl ether or polyether carboxylates, the perfluorinated or partially fluorinated alkyl sulfonates, and the perfluorinated or partially fluorinated alkyl sulfates. Some specific, but not limiting examples are the salts of the acids described in U.S. Patent No. 2,559,752 (incorporated in its entirety by reference herein) of the formula $X(CF_2)_nCOOM$, wherein X is hydrogen or fluorine, M is an alkali metal, ammonium, substituted ammonium (e.g., alkylamine of 1 to 4 carbon atoms), or quaternary ammonium ion, and n is an integer from 6 to 20; sulfuric acid esters of polyfluoroalkanols of the formula $X(CF_2)_nCH_2OSO_3M$, where X and M are as above; and salts of the acids of the formula $CF_3(CF_2)_n(CX_2)_mSO_3M$, where X and M are as above, n is an integer from 3 to 7, and m is an integer from 0 to 2, such as in potassium perfluorooctyl sulfonate. The surfactant charge is from about 0.05% to about 5% by weight on the total monomer weight used, and most preferably the surfactant charge is from about

-10-

0.1% to about 2.0% by weight.

The paraffin antifoulant is conventional, and any long-chain, saturated, hydrocarbon wax, fully or partially fluorinated wax, or oil may be used. Reactor loading of the paraffin are from about 0.01% to about 0.3% by weight on the total monomer weight used.

- 5 After the reactor has been charged with deionized water, surfactant, and paraffin antifoulant, the reactor is either purged with nitrogen or evacuated to remove oxygen. The reactor is brought to temperature, and chain-transfer agent may optionally be added. The reactor is then pressurized with a mixture of fluoromonomers.

- 10 The reaction can be started and maintained by the addition of any suitable initiator known for the polymerization of fluorinated monomers including inorganic peroxides, "redox" combinations of oxidizing and reducing agents, and organic peroxides. Examples of typical inorganic peroxides are the ammonium or alkali metal salts of persulfates, which have useful activity in the 65°C to 105°C temperature range. "Redox" systems can operate at even lower temperatures and examples include combinations of oxidants such as hydrogen
- 15 peroxide, t-butyl hydroperoxide, cumene hydroperoxide, or persulfate, and reductants such as reduced metal salts, iron (II) salts being a particular example, optionally combined with activators such as sodium formaldehyde sulfoxylate or ascorbic acid. Among the organic peroxides which can be used for the polymerization are the classes of dialkyl peroxides, peroxyesters, and peroxydicarbonates. Exemplary of dialkyl peroxides is di-t-butyl peroxide,
- 20 of peroxyesters are t-butyl peroxy-pivalate and t-amyl peroxy-pivalate, and of peroxydicarbonates are di(n-propyl) peroxydicarbonate, di-isopropyl peroxydicarbonate, di(sec-butyl) peroxydicarbonate, and di(2-ethylhexyl) peroxydicarbonate. The use of di-isopropyl peroxydicarbonate for vinylidene fluoride polymerization and co-polymerization with other fluorinated monomers is taught in U.S. Patent No. 3,475,396, and its use in
- 25 making vinylidene fluoride/hexafluoropropylene copolymers is further illustrated in U.S. Patent No. 4,360,652. The use of di(n-propyl) peroxydicarbonate in vinylidene fluoride polymerizations is described in the Published Unexamined Application (Kokai) JP 58065711. The quantity of an initiator required for polymerization is related to its activity and the temperature used for the polymerization. The total amount of initiator used is
- 30 generally from about 0.05% to about 2.5% by weight on the total monomer weight used. Typically, sufficient initiator is added at the beginning to start the reaction and then additional initiator may be optionally added to maintain the polymerization at a convenient

-11-

rate. The initiator may be added in pure form, in solution, in suspension, or in emulsion, depending upon the initiator chosen. As a particular example, peroxydicarbonates are conveniently added in the form of an aqueous emulsion.

Water-soluble inorganic per compounds, such as persulfates, perborates, percarbonates, etc., generally in the form of their potassium, sodium or ammonium salts, can also be used as initiators for emulsion polymerization.

Depending on the polymerization temperature and the decomposition constant of the initiator, decomposition accelerators, generally reducing agents, may have to be additionally used for polymerization in cases where low temperatures are applied. Suitable decomposition accelerators are sulfur compounds, such as for example, sodium sulfite, sodium pyrosulfite or Rongalit C (sodium formamidine sulfinic acid), and also organic reducing agents, such as ascorbic acid, metal salts, such as iron (II) or cobalt (II) salts, organometallic compounds, etc.

The reaction temperatures for the co-polymerization are in the range from -15° to $+120^{\circ}\text{C}$, preferably in the range from 20° to 115°C , and, more preferably, in the range from 30° to 110°C .

If necessary, chain transfer agents, such as methanol, isopropanol, isopentane, ethyl acetate, diethyl malonate and carbon tetrachloride, may be used to adjust the molecular weight of the polymers formed.

The process of the present invention can carry out the co-polymerization under an elevated pressure. This pressure should be at least 5 bar, but need not exceed 100 bar.

The preferred pressure range for the process according to the present invention is from 5 to 65 bar.

The co-polymers according to the present invention may be produced in batches, although they are preferably produced semi-continuously or continuously.

In one advantageous variant of the process according to the invention, the stationary concentration of free monomer in component c) is kept low. This is achieved by initially introducing 0.02 to 15 mol% vinyl-silanes based on the total mols of co-monomers to be reacted, optionally together with other co-monomers of components a) and b), either in batches or semi-continuously and uniformly adding the rest of component c) in accordance with the advance of the co-polymerization. The rest of component c) is of course added at the same time as the remainders of components a) and b).

-12-

Generally, the time for polymerization to be completed is based on the amount of co-monomers present, initiator amounts, and reactor conditions. Preferably, the time for the polymerization to be completed is when the desired solids content is achieved.

Preferably, the collected fluoropolymers of the present invention can be formed into
5 a powder and any unreacted co-monomers can be further removed by washings, for instance, with methanol or other suitable solvents.

An advantage of the present invention especially with conducting the polymerization as an emulsion polymerization is that essentially no premature cross-linking reactions occur between silane functionalities. Preserving the reactive silane groups as part of the
10 fluoropolymer expands the range of applications of these fluoropolymers compared to conventional fluoropolymers. Thus, the fluoropolymers of the present invention can be subjected to post-linking and any other desired post chemical modifications without compromising the superior properties of the fluoropolymers in terms of chemical resistance, high temperature stability, high tensile strength, low refractive indices, and the like.

15 Illustrative of buffering agents useful for silane emulsions, especially those containing biocides are: organic and inorganic acids and bases, including salts thereof and preferably mono- or poly-alkali metal, alkaline earth metal or amine salts of carbonic acid, phosphoric acid, sulfuric acid, hydrofluoric acid, a C_1 - C_6 organo-, mono-, or poly-carboxylic acid, or a C_2 - C_{30} alkyleniminopolycarboxylic acid, ammonia, a C_1 - C_{30} organic base, or a
20 mixture of any of the foregoing. Illustrative are: sodium bicarbonate, sodium carbonate, ammonium carbonate, sodium borate, mono-, di-, or trisodium phosphate, mono-, di-, or tripotassium phosphate, ammonium sodium phosphate, mono-, or disodium sulfate, sodium acetate, potassium acetate, ammonium acetate, calcium acetate, sodium formate, mono-, or disodium sulfide, ammonia, mono-, di-, or triethylamine, mono-, di-, or triethanolamine,
25 (ethylenedinitrilo) tetraacetic acid sodium salt (sodium E.D.T.A.), pyridine, aniline, and sodium silicate. These are only a few examples of appropriate buffering agents. Combinations of these materials with other buffers, acids, or bases, such as the use of ammonium hydroxide and acetic acid together, will also be effective.

Trisodium phosphate (Na_3PO_4), disodium phosphate (Na_2HPO_4), and ammonium
30 hydroxide (NH_4OH) are preferred, but sodium bicarbonate ($NaHCO_3$) is especially preferred because it is easy to handle; it consistently gives emulsions with a pH of 7.5; it is

-13-

environmentally safe; and it is inexpensive.

The amount of buffering agent to be employed can vary widely. In general, however, less than 0.01 percent will not be enough to be useful, and more than 5 percent by weight of the total composition will be uneconomical.

5 The fluoropolymers of the present invention can be used in a variety of applications, such as, in polymer foams, elastomeric compositions, adhesive compositions, membranes, and other polymeric compositions. The fluoropolymers of the present invention preferably have a variety of physical and/or chemical properties. For instance, the fluoropolymers of the present invention can provide foamed cross-linked polymers with low densities such as
10 less than about 1.8 g/ml, more preferably from less than about 1.0 g/ml and more preferably less than 0.6 g/ml. In addition, the fluoropolymers of the present invention can have an improved or increased heat deflection temperature. Further, the fluoropolymers of the present invention can have improved solvent resistance. In addition, the fluoropolymers can be fluoro-elastomers having improved and/or different characteristics than the Viton® and
15 Fluorel®-elastomers commercially available.

In addition, the ability of the fluoropolymer to react permits improved chemical bonding to substrates, such as improved adhesion with inorganic substrates, such as glass and metal oxides as well as other substrates. In addition, the fluoropolymers of the present invention can serve as precursors for nano-composites, such as clay/fluoropolymers; sol-gel
20 organo-silanes/fluoropolymers; or organo-silanes-functionalized nanoparticle/fluoropolymers. In addition, the fluoropolymers can be used as coatings or can be incorporated into coatings and preferably avoid the need for the use of primers.

Furthermore, the chemical bonding ability of the fluoropolymers of the present invention will permit bonding with silicon rubber which can permit the production of alloys
25 and IPNs between fluoropolymers and silicone rubbers.

The fluoropolymers of the present invention can be a component in polymer blends. Any compatible polymer can be combined to form the blend. The fluoropolymer can be added to, for instance, acrylates, methacrylates, polyacetals, polyacrylates, polyamides, polyamines, polybutadienes, polycarbonate, polyesters, polyalkylenes, polyimides,
30 polyolefins, polystyrenes, polyurethane, and poly(vinyl alcohol). The fluoropolymers can also be co-polymerized with other polymers.

-14-

Other uses of the fluoropolymers of the present invention include, but are not limited to, their use as a component for Nafion type membranes which have applications with electrodes such as Li ion batteries and fuel cells and the like. The fluoropolymers can also have controlled functionalities as well as be used as a tie layer and multi-layer polymer composites. The fluoropolymers can also be used as a compatibilizer with other polymers.

All of the patents and other publications referenced herein are incorporated in their entirety by reference. The present invention will be further clarified by the following examples, which are intended to be purely exemplary of the present invention.

10 **EXAMPLES**

Example 1

1 g of di-sodium phosphate was dissolved in 900 g of 2/3 wt% solution of a mixture of perfluoroalkanoate salts in deionized water. The mixture was then introduced into a 2.0 liter autoclave. The closed autoclave was then heated to 80°C and subsequently vented to normal pressure. 132 ml of liquid VF2 at -6.5°C and 650 psia was then introduced into the autoclave and the reaction mixture was subsequently heated to 100°C and then the polymerization was begun by introducing 45 ml of an initiator emulsion consisting of 3 wt % di-n-propyl peroxydicarbonate and 2/3 wt% mixed perfluoroalkanoate salts dispersed in deionized water. The pressure dropped upon initiation and it was then maintained at 600 psia by continuous addition of mentioned initiator emulsion at a rate of 2 ml/min. and addition of mixture of VF2 and 25 wt% of vinyl-tris-t-butoxy silane in methanol with the ratio of 120 ml VF2 to 41.8 ml vinyl-tris-t-butoxy solution over a period of 78 min. Monomer feeds were stopped and residual monomers were consumed by maintaining the initiator emulsion feed for 50 min. after which the reaction mixture was stirred for 10 min. at 100°C. After cooling, the residual pressure was 246 psia at 32°C. The autoclave was vented, and then it was emptied of latex. The pH of the latex was 4.6 and the solid content after drying over night in over at 90°C was 13.25%.

Example 2

0.5 g of tri-sodium phosphate was dissolved in 800 g of 2/3 wt % solution of a mixture of perfluoroalkanoate salts in deionized water. The mixture was then introduced into a 2.0 liter autoclave. The closed autoclave was then heated to 80°C and subsequently
5 vented to normal pressure. The temperature is raised to 90°C. 123.4 ml of liquid VF2 at -6.5°C and 550 psia were then introduced into the autoclave. The polymerization was begun by adding 55 ml of an initiator emulsion consisting of 3 wt % di-n-propyl peroxydicarbonate and 2/3 wt % mixed perfluoroalkanoate salts dispersed in deionized water. The pressure first went up and then dropped upon initiation and it was then maintained at 660 psia by
10 continuous addition of mentioned initiator emulsion at a rate of 2 ml/min, 109.5 ml of 4.5 wt % di-sodium phosphate in deionized water at a rate of 1.5 ml/min and addition of mixture of VF2 and 25 wt % vinyl-tris-iso-propoxy silane in methanol with a ratio of 185.4 ml VF2 to 31.7 ml vinyl-tris-t-butoxy silane solution over a period of 80 min. Monomer feeds were stopped and residual monomers were consumed by maintaining the initiator feed for 35 min
15 at a rate of 3 ml/min after which the reaction mixture was stirred for 35 min at 90°C. After cooling, the residual pressure was 339 psia at 32°C. The autoclave was vented, and then it was emptied of latex. The pH of the latex was 6.2 and the solid content after drying over night in an oven at 110°C was 17 %.

The remaining examples set forth in Table 1 below were prepared in a similar
20 manner to Example 2, except for the differences noted in the Table.

-16-

Table 1

Example #	Silane wt% in MeOH	Na ₃ PO ₄ in initial charge (g)	T (°C)	P (psia)	VF2 to reach P=550psia (ml)
2	VTiPS 25 %	0.5	90	660	123.4
3	VTiPS 25 %	0	90	640	126.6
4*	VTiPS 20 %	0	100	625	131.9
5	VTiPS 25 %	0	100	625	127.2
6	VTiPS 50 %	0.5	90	640	161.8
7	VTiPS 50 %	0.5	90	650	131.1
8	VTiPS 25 %	0.5	90	640	130.2
9	VTtBS 25 %	0	100	645	121.4
10	VTtBS 25 %	0	90	640	127.8
11*	0	0	100	630	131.4
12*	0	0	90	560	130.4
13	0	0	100	628	127.7 (P=630psia)
14	VTtBS 25 %	0	80	644	145.8
15	VTtBS 35 %	0	75	585	158.5
16	VTtBS 35 %	0.5	70	655	167.7

Table 1 (con't.)

initial initiator (ml)	aqueous solution of Na ₂ HPO ₄ (wt%/ml)	VF2 fed (ml)	Silane in MeOH fed (ml)	period of monomer feed (min)
55	4.5 / 109.5	185.4	31.7	80
50	5 / 100	54.9	36.2	140
45	5 / 86.6	200.2	9.7	50
43	5 / 79.5	86.7	26.6	90
40	4.5 / 99.4	136.7	13.5	85
46	4.5 / 75	31.1	13	55
44	4 / 112.5	35.2	15.4	45
27.5	5 / 144	39.6	34.4	126
67	5 / 97.9	62	29.3	120
47.5	10 / 79.9	255.1	0	23
37.2	5 / 99.8	138	56.2 (pure MeOH)	82
27	0	244.2	70.8 (pure MeOH)	110
25	4/94	57.7	18.6	60
39.8	4/108	41.8	28.5	145
40.3	4/101	93.1	30.0	155

*: partially coagulated ; VTiPS : vinyl-tri-iso-propoxy silane ; VTtBS : vinyl-tris-t-butoxy silane


- 5 Other embodiments of the present invention will be apparent to those skilled in the art from consideration of the specification and practice of the present invention disclosed herein. It is intended that the specification and the examples be considered as exemplary only, with a true scope and spirit invention being indicated by the following claims.

WHAT IS CLAIMED IS:

1. A fluoropolymer comprising a polymer reaction product of:
 - a) at least one first alkylene co-monomer containing at least one fluorine atom;
 - 5 b) optionally at least one monomer selected from 1) at least one second alkylene containing at least one fluorine atom which is different from first alkylene co-monomer; 2) at least one alkyl alkenyl ether containing at least one fluorine atom; 3) at least one aliphatic or cyclic ketone containing at least one fluorinated alpha-alpha position; or 4) non-fluorinated alkene, alkyl vinyl ether, or alkenyl ester; and
 - 10 c) at least one sterically hindered alkenyl or alkenyl ether organo-silane co-monomer with or without at least one fluorine substituent.
2. The fluoropolymer of claim 1, wherein said reaction product is an free radical polymerization reaction product.
3. The fluoropolymer of claim 1, wherein said at least one ethylene co-
15 monomer is present in an amount of from about 40 mol% to about 99.9 mol%.
4. The fluoropolymer of claim 1, wherein said at least one co-monomer b) is present in an amount of from about 0.1 mol% to about 50 mol%.
5. The fluoropolymer of claim 1, wherein said at least one sterically hindered vinyl organo-silane co-monomer is present in an amount of from about 0.1 mol% to about
20 50 mol%.
6. The fluoropolymer of claim 1, wherein said at least one sterically hindered vinyl organo-silane co-monomer is the formula:



25 wherein n is an integer of from 0 to 2, or of the formula:



wherein m is an integer of from about 2 to about 10; k is an integer of from 0 to 1; and R¹ represents at least one branched alkyl, cycloalkyl, or heterocyclic group with or without at
30 least one fluorine substituent; R² represents at least one alkenyl or allyl containing group; R³ represents at least one n-alkyl, branched alkyl, cycloalkyl, or heterocyclic group.

7. The fluoropolymer of claim 6, wherein said R³ further comprises at least one functional group.

8. The fluoropolymer of claim 7, wherein said at least one functional group is at least one halogen, hydroxyl, nitrogen, amino, epoxy, carboxylic salt, ester, sulfur, oxygen,
5 cyano, urea, amide, oxo, or combinations thereof.

9. The fluoropolymer of claim 1, wherein said fluoropolymer is cross-linkable.

10. The fluoropolymer of claim 7, wherein said fluoropolymer is cross-linkable.

11. The fluoropolymer of claim 1, wherein said fluoropolymer further comprises at least one metal oxide, silane, or siloxane, or combinations thereof.

10 12. The fluoropolymer of claim 11, wherein said at least one metal oxide, silane, or siloxane is reacted with a silane of said fluoropolymer.

13. A method of making the fluoropolymer of claim 1, comprising conducting a polymerization in a buffered system of:

a) at least one first alkylene co-monomer containing at least one fluorine
15 atom;

b) optionally at least one monomer selected from 1) at least one second alkylene containing at least one fluorine atom which is different from first alkylene co-monomer; 2) at least one alkyl alkenyl ether containing at least one fluorine atom; 3) at least one aliphatic or cyclic ketone containing at least one fluorinated alpha-alpha position; or 4)
20 non-fluorinated alkene, alkyl alkenyl ether, or vinyl alkenyl; and

c) at least one sterically hindered alkenyl or alkenyl ether organo-silane co-monomer with or without at least one fluorine substituent for a sufficient time and at a sufficient pressure and temperature to form said fluoropolymer.

14. The method of claim 13, wherein said polymerization is a free radical
25 polymerization.

15. The method of claim 13, wherein said polymerization is an emulsion polymerization.

16. The method of claim 13, wherein said polymerization is in an aqueous media.

30 17. The method of claim 13, wherein said polymerization occurs at a pH range of from about 4.5 to about 8.5.

-20-

18. The method of claim 13, further comprising initially charging deionized water; di-sodium phosphate, tri-sodium phosphate, or both; and at least one fluorinated surfactant into a reactor and deoxygenating before introducing the co-monomers a), optionally b), and c).

5 19. The method of claim 18, further comprising introducing an initiator emulsion and vinyl silane solution in a solvent to start a reaction after said initially charging step.

20. The method of claim 17, further comprising continually feeding said co-monomers a), optionally b), and c) into said reactor after said reaction begins.

21. The method of claim 18, further comprising isolating said fluoropolymer.

10

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US00/31040

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C08F 214/18; C08G 77/24; C08L 27/12

US CL : 526/244, 247, 250; 528/42; 524/544

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 526/244, 247, 250; 528/42; 524/544

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EAST; hexafluoropropylene, perfluorovinylmethylether, vinyl silane

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,973,090 A (MARUYAMA et al) 26 October 1999, col. 2, line 1 to col. 3, line 27, col. 4, lines 8-21 and examples.	1-17, 20
X ----- Y	US 5,859,123 A (KOBAYASHI et al) 12 January 1999, col. 3, lines 5-63, col. 5, line 52 to col. 6, lines 1-54 and examples.	1-17, 20 ----- 18, 19, 21
X	US 4,886,862 A (KUWAMURA et al) 12 December 1989, col. 2, line 1 to col. 3, line 53, col. 5, lines 16-36 and Table 1.	1-17, 20
X	US 5,179,181 A (HONMA et al) 12 January 1993, col. 4, line 27 to col. 6, line 5 and col. 8, line 41 to col. 9, line 5.	1-14
X	US 4,751,114 A (HOMMA et al) 14 June 1988, cols. 1-3 and examples.	1-14



Further documents are listed in the continuation of Box C.



See patent family annex.

*

Special categories of cited documents:

T

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

A

document defining the general state of the art which is not considered to be of particular relevance

X

document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

E

earlier document published on or after the international filing date

Y

document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

L

document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O

document referring to an oral disclosure, use, exhibition or other means

P

document published prior to the international filing date but later than the priority date claimed

A

document member of the same patent family

Date of the actual completion of the international search

23 JANUARY 2001

Date of mailing of the international search report

26 FEB 2001

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

TAE H. YOON

Telephone No. 703-308-2351